

Analytical Report

Tested for: Emerald Family Farms
Sample ID: The Hippy Crippler (HS)
Sample Type: Flower
Lab Sample ID: C1707011-02A
Date Received: 7/5/2017 Date Tested 7/6/2017



Cannabinoid Potency

LC-DAD	Result	MRL*	Units
Cannabidiol (CBD)	ND	0.035	%
Cannabidiolic Acid (CBDA)	ND	0.035	%
Cannabigerol (CBG)	0.0898	0.035	%
Cannabigerolic Acid (CBGA)	1.57	0.035	%
Cannabinol (CBN)	ND	0.035	%
Tetrahydrocannabinol (Δ 9THC)	1.01	0.035	%
Tetrahydrocannabinolic Acid (THCa)	16.7	0.035	%

Cannabinoid Summary

LC-DAD	Result	MRL*	Units
Total cannabinoids	19.4	NA	%
Total CBD equivalents	0.0236	NA	%
Total THC equivalents	15.7	NA	%

Terpenes

GC-MS	Result	MRL*	Units
3-Carene	0.157	0.10	mg/g
Camphene	ND	0.10	mg/g
Caryophyllene oxide	ND	0.10	mg/g
cis-Nerolidol	ND	0.10	mg/g
Eucalyptol	ND	0.10	mg/g
Geraniol	ND	0.10	mg/g
Guaiol	0.101	0.10	mg/g
Isopulegol	ND	0.10	mg/g
Limonene	1.59	0.10	mg/g
Linalool	0.324	0.10	mg/g
Myrcene	4.26	0.10	mg/g
Ocimene	2.31	0.10	mg/g
Terpinolene	4.84	0.10	mg/g
trans-Nerolidol	0.189	0.10	mg/g
α -Bisabolol	0.459	0.10	mg/g
α -Humulene	0.398	0.10	mg/g
α -Pinene	0.385	0.10	mg/g
α -Terpinene	0.156	0.10	mg/g
β -Caryophyllene	1.39	0.10	mg/g
β -Pinene	0.700	0.10	mg/g
γ -Terpinene	ND	0.10	mg/g
Total Terpenes	17.3		mg/g

Pesticides

LC-MS/MS	Result	MRL*	Units
Acequinocyl	ND	2.0	μ g/g
Avermectin B1a	ND	0.50	μ g/g
Bifenazate	ND	0.20	μ g/g
Bifenthrin	ND	0.20	μ g/g
Carbaryl	ND	0.20	μ g/g
Daminozide	ND	1.0	μ g/g
Diazinon	ND	0.20	μ g/g
Etoxazole	ND	0.20	μ g/g
Fenoxycarb	ND	0.20	μ g/g
Imidacloprid	ND	0.40	μ g/g
Kresoxim-Methyl	ND	0.40	μ g/g
Myclobutanil	ND	0.20	μ g/g
Paclobutrazol	ND	0.40	μ g/g
Piperonyl butoxide	ND	0.20	μ g/g
Pyrethrin I	ND	0.60	μ g/g
Pyrethrin II	ND	0.40	μ g/g
Spinosyn A	ND	0.11	μ g/g
Spinosyn D	ND	0.085	μ g/g
Spiromesifen	ND	0.20	μ g/g
Spirotetramat	ND	0.20	μ g/g
Tebuconazole	ND	0.40	μ g/g
Thiamethoxam	ND	0.20	μ g/g
Trifloxystrobin	ND	0.20	μ g/g

ND = Not Detected at the Reporting Limit

*This is the minimum concentration of analyte reported. There are no safety limits imposed by California at this time.

Humboldt Quality Assurance Laboratory

5680 West End Road • Arcata, California 95521-9202 • 707-822-5468

Approved for release by:

A handwritten signature in black ink, appearing to read "Jerry Chaney", is written over a horizontal line.

Jerry Chaney, Lab Director 07/07/17