



PURE ANALYTICS™
CANNABIS POTENCY & SAFETY SCREENING

Medical Cannabis Test Report

Customer	Emerald Family Farms
Sample ID's	EFF0025-1 -> 3
Report Date	12-Apr-17

Results Summary

Cannabinoid Results

Sample I.D.	Sample Name	THC mg/g	THCA mg/g	CBD mg/g	CBDA mg/g	CBN mg/g	CBC mg/g	CBG mg/g	THCV mg/g	CBDV mg/g	Total Cannabinoids mg/g
EFF0025-1	O.G.Y. (S)	208.2	ND	1.58	ND	ND	1.74	5.3	0.87	ND	217.7
EFF0025-2	Sour Tangie (HS)	240.2	ND	1.46	ND	1.72	2.49	5.9	0.75	ND	252.5
EFF0025-3	O.G. F-149 B (SMR)	50.3	592.6	0.9	27.6	6.14	27.4	41.3	6.00	ND	752.2

*ND: Not Detected (<0.05%, 0.01 mg/g or mL)

Results reported on a percent by weight basis using the full moisture content weight of the product as received by Pure Analytics.

Analytical Method: Methanol extraction using sonication with analysis by GC-FID for combustibles (flower and concentrates) and HPLC-DAD for orally ingestible samples.

Results Summary

Mold and Fungus Results

Sample I.D.	Sample Name	Mold or Fungus Present?
EFF0025-1	O.G.Y. (S)	NO
EFF0025-2	Sour Tangie (HS)	NO

Analytical Method: Microscopic inspection for actively growing mold and fungus colonies. Results reported as Mild, Moderate or Severe. Products with positive results are not recommended for patient consumption.

Results Summary

Pesticide and Chemical Residue Screen Results

Sample I.D.	Sample Name	Pesticide or Chemical Residues Detected
EFF0025-1	O.G.Y. (S)	ND
EFF0025-2	Sour Tangie (HS)	ND
EFF0025-3	O.G. F-149 B (SMR)	ND

*ND: Not Detected

Pesticide and Chemical Residue Screen detects all chlorinated, brominated and fluorinated compounds. This includes many commonly used insecticides, miticides and fungicides. Specific levels of compounds on our list will be reported with quantified results, all other compounds will be listed as detected or not detected.

Analytical Method: Acetone extraction using sonication with analysis by GC-ECD.

Results Summary

Terpene Results

Sample I.D.	Sample Name	alpha-Pinene	Camphene	beta-Pinene	Myrcene	3-Carene	R-Limonene	Eucalyptol	Ocimene	gamma-Terpinene	Terpinolene	Linalool	Fenchol	(+)-Puleone	Menthol	Borneol	alpha-Terpineol	Geraniol	beta-Caryophyllene	alpha-Humulene	Valencene	Farnesene	Nerolidol	Guaiaol	alpha-Bisabolol	Eicosane	Total
EFF0025-1	O.G.Y. (S)	0.05%	ND	0.08%	0.45%	ND	0.43%	0.01%	ND	ND	0.03%	0.19%	0.06%	ND	ND	ND	0.17%	0.02%	0.38%	0.13%	0.07%	0.21%	0.01%	0.02%	ND	ND	2.33%
EFF0025-2	Sour Tangie (HS)	0.04%	ND	0.06%	0.82%	ND	0.16%	0.01%	ND	ND	ND	0.06%	0.01%	ND	ND	ND	0.04%	ND	0.27%	0.10%	0.05%	0.05%	ND	0.08%	ND	ND	1.74%
EFF0025-3	O.G. F-149 B (SMR)	ND	ND	ND	0.05%	ND	0.08%	0.04%	ND	ND	ND	0.07%	0.04%	ND	ND	ND	0.24%	ND	1.37%	0.48%	0.24%	0.43%	6.85%	0.07%	ND	ND	9.95%

*ND: Not Detected (<0.01%)

Results reported on a percent by weight basis using the full moisture content weight of the product as received by Pure Analytics.

Analytical Method: Methanol extraction using sonication with Analysis by GC-FID

Results Summary

Residual Solvent and Volatiles Results

Sample I.D.	Sample Name	<i>n</i> -butane	<i>n</i> -pentane	acetone	ethanol	2-methyl butane	<i>n</i> -hexane	methane	2-propanol	2-methyl propane	3-methyl-1-butanol	1-butanol	1-pentanol	2-butanol	1-propanol	anisole	ethyl acetate	<i>n</i> -Heptane	2-methyl-1-propanol	tert-butyl methyl ether (M	ether	ethyl formate	4-methyl-2-pentanone	isopropylbenzene	propane	1-butanone	Total	
EFF0025-3	O.G. F-149 B (SMR)	ND	ND	ND	465	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	465

*ND: Not Detected (<1 ppm)

Results reported on a parts-per-million basis, ppm may also be expressed as mg of contaminant per kilogram of material tested.

Analytical Method: Analysis by Full Evaporation Technique Headspace Measurement using GC-FID